


CE



Power	32 W	Voltage	230 V
Luminous flux*	3400 lm (360°)	Colour temperature	4000 K
Colour of light	Neutral white	Beam angle	115 °
Degree of protection (IP)	IP54		



 Declaration of Conformity

Technical data:

Code	SLI031036NW_PW_CZUJNIK
Power	32 W
Nominal current	142 mA
Voltage	230 V
Energy consumption	32 kWh/1000h
Frequency	50HZ Hz
Protection class	II
Power supply included	+
Power factor	0.98
Useful luminous flux*	3400 lm (360°)
Luminous flux**	2250 lm (360°)
Lamp efficacy	106 lm/W
Luminous intensity	1360 cd
Colour temperature	4000 K
Colour of light	Neutral white
Beam angle	115 °
RA	>80
Light source included	+
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 +40 °
Lifespan	17000 h
Housing material	TWORZYWO SZTUCZNE
Degree of protection (IP)	IP54
Colour	White
Dimension (AxBxC)	380x55 mm
For use	Inside
Assembly method	On the ceiling
Application	Inside
Made in	PRC
Other	MV Sensor ,



*applies to the LED source used. **Luminaire luminous flux